



PRODUCT NUMBER: 2132545-X/SPN FLEXIDYN CARDED

Handling sharp parts in a dry or greasy environment. Product emphasized in an effective packaging designed for a self-service environment. Size 7 to 10 available

Översikt

Reference Number

2132545-X/SPN

Product Type

Handskar

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Sperian

Brand formerly known as

PERFECT FIT

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Product Use

Handling sharp parts in a dry or greasy environment.

Features & Benefits

Feature

Knitted glove in dyneema polyamide and composite fiber.

Grey PU coating on palm

Color: White

Gauge 13

Length: 25 cm.

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.
 The cool Dyneema® touch gives an added sensation of comfort.
 The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.
 The glove's ventilated back optimises its breathability.

RESISTANCE

The Dyneema®/lycra® thread provides outstanding properties against cuts.
 The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.
 The composite fiber fully protected by polyamide increase the cut resistance.
 Caution! Do not expose this glove to the heat.

HYGIENE

Its white colour enhances the glove's hygiene and cleanliness.
 Its grey coating enables work in a slightly soiled environment.

Feature

Product delivered in a clear and effective packaging designed for a self-service environment, which provides the needed information to easily make the right protection choice. It includes pictograms to easily recognize the protection range as well as hazards identification and product advantages.

Benefit

Customers can easily recognize which personal protective equipment to choose, depending on their work environment and the risks they face. As a result, they become autonomous and can be sure they are making the right protection choice.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standards
 EN 388-2003 Mechanical hazards

CHARACTERISTICS : Knitted glove in dyneema polyamide and composite fiber.
 Grey PU coating on palm.
 Color: White
 Gauge 13.
 Length: 25 cm.

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

White and grey

Coating Type

Dyneema® / polyamide / composite fiber and lycra®

Length

23,5 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging

CE HONEYWELL
2132545 XX
EN 420
EN 388 : 4543

Certifications

EU Category PPE

2

Quality Assurance

ISO 9001 / 2000

EU Certification

AET_2132545_Honeywell 2012-Rev02

Foton & bilder

Ytterligare information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.
Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products

Packaging

EAN Code

T7 : 3603835522203, T8 : 3603835522494, T9 : 3603835521503, T10 : 3603835522234

Unit of Measure

EA

Quantity per Box/Pack/Case

BOX of 10

Quantity per Carton

100

Country of Origin

China